

ALINA

8,0 – 2,5 KW



A+

1.720 EUROS

- max 9,5 kW – min 2,8 kW
- max 8,0 kW – min 2,5 kW
- Classe di efficienza energetica: A+
- Pmax 88,0% – Pmin 90,0%
- Pmax 0,010% – Pmin 0,013%
- max 2,0 kg/h – min 0,6 kg/h
- 13,5 kg
- 140 – 200 mc

- lato: 25 cm
retro: 10 cm
fronte: 100 cm
- 230V – 50 Hz
- 320 W
- L 54,7 x P 52,2 x H 93,2 cm
- 105 kg
- acciaio
- acciaio inox
- EN14785
 - BImSchV II
 - 15a B-VG
 - LRV/VKF

- cassetto cenere estraibile per recupero cenere
- superiore – posteriore
- 6 tasti LED
- OPTIONAL:**
- telecomando
- modulo WI-FI per comando a distanza
- pedana protezione



ADELE

8,0 – 2,5 KW



A+

1.980 EUROS

- max 9,5 kW – min 2,8 kW
- max 8,0 kW – min 2,5 kW
- Classe di efficienza energetica: A+
- Pmax 88,0% - Pmin 90,0%
- Pmax 0,010% - Pmin 0,013%
- max 2,0 kg/h - min 0,6 kg/h
- 18,5 kg
- 140 - 200 mc

- lato: 25 cm
retro: 10 cm
fronte: 100 cm
- 230V – 50 Hz
- 320 W
- L 54,7 x P 52,2 x H 106,5 cm
- 115 kg
- acciaio
- acciaio inox
- EN14785 • BlmSchV II
 - 15a B-VG • LR/VVKF

- cassetto cenere estraibile per recupero ceneri
- posteriore
- 6 tasti LED
- OPTIONAL:**
- telecomando
- modulo WI-FI per comando a distanza
- pedana protezione

ERMINY

8,0 – 2,5 KW



A+

1.990 EUROS

	max 9,5 kW – min 2,8 kW
	max 8,0 kW – min 2,5 kW
	Classe di efficienza energetica: A+
	Pmax 88,0% – Pmin 90,0%
	Pmax 0,010% – Pmin 0,013%
	max 2,0 kg/h – min 0,6 kg/h
	18,5 kg
	140 – 200 mc

	lato: 25 cm retro: 10 cm fronte: 100 cm
	230V – 50 Hz
	320 W
	L 54,7 x P 52,2 x H 110,6 cm
	115 kg
	acciaio
	acciaio inox
	• EN14785 • BlmSchV II • 15a B-VG • LRV/VKF

	cassetto cenere estraibile per recupero ceneri
	posteriore
	6 tasti LED
OPTIONAL:	
	telecomando
	modulo Wi-Fi per comando a distanza
	pedana protezione

MARIA

11,5 – 3,5 KW

2.990 EUROS



A+

	max 13,5 kW – min 4,0 kW
	max 11,5 kW – min 3,5 kW
	Classe di efficienza energetica: A+
	Pmax 89,5% – Pmin 93,5%
	Pmax 0,013% – Pmin 0,022%
	max 2,9 kg/h – min 0,9 kg/h
	20 kg
	200 – 300 mc

	lato: 30 cm retro: 20 cm fronte: 100 cm
	230V – 50 Hz
	320 W
	L 73,1 x P 58,6 x H 112,9 cm
	210 kg
	ghisa
	acciaio inox

	• EN14785 • BlmSchV II • LRV/VKF
	cassetto cenere estraibile per recupero cenere
	posteriore
	6 tasti LED
	OPTIONAL: telecomando
	modulo WI-FI per comando a distanza
	pedana protezione



ROSY

11,5 – 3,5 KW



A+

3.360 EUROS

- max 13,5 kW – min 4,0 kW
- max 11,5 kW – min 3,5 kW
- Classe di efficienza energetica: A+
- Pmax 89,5% – Pmin 93,5%
- Pmax 0,013% – Pmin 0,022%
- max 2,9 kg/h – min 0,9 kg/h
- 25 kg
- 200 – 300 mc

- lato: 30 cm
retro: 20 cm
fronte: 100 cm
- 230V – 50 Hz
- 320 W
- L 73,1 x P 58,6 x H 136,8 cm
- 226 kg
- ghisa
- acciaio inox
- EN14785
 - BlmSchV II
 - LRV/VKF

- cassetto cenere estraibile per recupero cenere
- posteriore
- 6 tasti LED
- OPTIONAL:**
- telecomando
- modulo WI-FI per comando a distanza
- pedana protezione

DIANA

 11,5 – 3,5 KW



A+

3.480 EUROS

	max 13,5 kW – min 4,0 kW
	max 11,5 kW – min 3,5 kW
	Classe di efficienza energetica: A+
	Pmax 89,5% – Pmin 93,5%
	Pmax 0,013% – Pmin 0,022%
	max 2,9 kg/h – min 0,9 kg/h
	25 kg
	200 – 300 mc

	lato: 30 cm retro: 20 cm fronte: 100 cm
	230V – 50 Hz
	320 W
	L 73,1 x P 58,6 x H 136,8 cm
	226 kg
	ghisa
	acciaio inox
	• EN14785 • BlmSchV II • LR/VVKF

	cassetto cenere estraibile per recupero ceneri
	posteriore
	6 tasti LED
OPTIONAL:	
	telecomando
	modulo WI-FI per comando a distanza
	pedana protezione